

APCO Coatings (NZ) Limited

14 Ron Driver Place
East Tamaki
PO Box 58849 Botany
Manukau 2163
0800 BUY APCO



Technical Data Sheet

Product code: **PBS000251**

ROOFRITE

Anti-Corrosive Galvanised Iron Primer

Description:

A Premium Quality Water-based Galvanised Iron Primer, designed for direct application to exterior new or weathered galvanised sheet Steel and Aluminium.

Features and Benefits:

- Excellent adhesion Properties
- Latest Acrylic Anti-Corrosive technology
- Very low toxicity.
- Allows immediate painting of sheet Galvanised Roofs
– weathering not required.
- Can be over-coated with most Acrylic topcoats.

Limitations:

Do not apply when ambient temperature is below 8°C or when the roof is hot to touch.

Technical Data:

Resin Type:	Styrene/Acrylic Emulsion
Solvents:	Water
Colour:	Light Grey
Density:	1.36 Kgs/ Litre
Dry-Time:	30 mins Touch, 2 hour overcoat.
DFT:	50 microns
WFT:	100 microns
Coverage:	8 – 10 m ² per litre.
Packaging sizes:	20 litre
Flash Point:	None
Thinner:	Water

Surface Preparation:

Surface must be thoroughly cleaned to remove all traces of dust, dirt, moss.
Water-blast using a minimum pressure of 2500psi. Chalky surfaces must be removed by pressure cleaning and/or wet scrubbing.
All areas of brown surface rust MUST be primed with a solvent-based metal primer.

APCO Coatings (NZ) Limited

14 Ron Driver Place
East Tamaki
PO Box 58849 Botany
Manukau 2163
0800 BUY APCO



Application:

Apply by airless spray one liberal coat at the recommended coverage, to the clean metal surface.

Best results with airless tip size 0.013" or 0.015" at 1500 to 2000 psi.

For Best Results:

- 1) Apply the product using the cross hatch method, to ensure even film build.
- 2) With repaints, spot prime with ROOFRITE Anti-Corrosive Galvanised Iron Primer, followed by one full coat of the Basecoat/Topcoat.
- 3) Can be over-coated with most acrylic systems.
- 4) Previously painted iron roofs that are peeling, should be washed and primed on the same day.

Health and Safety: (Please refer to Material Safety Data Sheet before using)

ROOFRITE Anti-Corrosive Galvanised Iron Primer is essentially non-flammable and non-hazardous.

KEEP OUT OF REACH OF CHILDREN



0800 BUY APCO
Ph. 09) 2733 041
Fax. 09) 2733 045

PO Box 58849
Botany
Manukau 2163