

## PRODUCT DATA SHEET

PDS No: 9052

---

### Product Details

**Product Code:** 8507  
**Product Name:** Waste Paint Solidifer  
**Other Name(s):** Industrial absorbent for all liquids and semi liquids

### Description

A granular powder with an ultra-high capacity. Absorbs all fluids, Water based paints and thinners, solvent base paints and thinners, colourants, tinters and other surface coating related liquids.

Absorbent for all liquids and semi-liquids : Solvents, Oils; Hydraulic Fluid, Brake Fluid, Glycol, Acid, Bases, Epoxy, Glues, Paint, Resins, Polymers.

### Uses

- Hazmat teams for spills on highways
- Fleet garages for spills on concrete floors.
- polymer spills.
- Tool and die shops for cutting fluid spills.
- Manufacturing facilities around.
- production equipment.
- Floor care crews converting stripper/wax.
- Solutions into solid waste for proper disposal.
- Paint Shops, Print shops for inks and dyes.
- Home DIY use.

### Features and Benefits

- Leaves surfaces completely dry.
- Specially ground, finer and lighter particles
- instantly soak up more liquid - quick!
- Lightweight formula reduces back, arm, and leg strain.
- Reduces clean up times.
- Limits liability exposure.
- Promotes proper waste disposal.

### Limitations and Precautions

# PRODUCT DATA SHEET



PDS No: 9052

---

## Physical Properties

<b>Appearance:</b>	powder
<b>Color:</b>	white translucent granules
<b>Flash Point:</b>	Non flammable
<b>Granulometry:</b>	0.5 to 1 mm
<b>Absorption capacity:</b>	90%
<b>Density:</b>	0.08 – 0.12

## Application and Process

### For on-going use:

Sprinkle around equipment areas where leaks and condensation may puddle. Absorber will absorb liquid into a thick gel so that it can be easily scooped up and disposed.

### For spills:

Cover the entire wet area with Absorber. Let product absorb the spill and scoop up when all the liquid had been absorbed. Large spills or deep puddles may require more time or some turning to get liquid fully absorbed.

### For stripper/wax solutions:

Add a cap-full of Absorber to the mop bucket and dispose of gelled

**waste properly instead of flushing it down drain lines where wax builds up and clogs drains.**

# PRODUCT DATA SHEET



PDS No: 9052

## Health and Safety

Refer to product material safety datasheet

## Storage

## Spillage and Disposal

Sweep up with dust pan and brush and dispose of according to local regulations and bylaws.

*Please refer to the updated versions of Safety data sheet(SDS) and Technical Data sheet (TDS) before using any APCO Product.*

**KEEP OUT OF REACH OF CHILDREN**

### **APCO Coatings (NZ) Limited**

Ph. (09) 2733 041. Fax. (09) 2733 045. Physical Add. 14 Ron Driver Place, East Tamaki, Auckland 2013

The information and recommendations set down here in this document are presented in good faith and believed to be correct, APCO Coatings (NZ) Ltd gives no guarantee to the completeness and accuracy thereof.

APCO Coatings (NZ) Ltd is not be responsible for damages of any nature what so ever resulting from the use or reliance upon this information. No warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the Technical Data Sheet refers.